To: Elmore, Marcus[Elmore.Marcus@epa.gov]

From: Sisk, Richard

Sent: Thur 10/1/2015 3:36:28 PM

Subject: FW: Water Treatment Decision - draft tech memo A72 and Bakers Bridge Concentrations - DRAFT 09-19-2015.docx

ATT00001.htm

A72 and Bakers Bridge Concentrations - DRAFT 09-19-2015.pdf

Marcus – One last document to put in the Gold King Mine Release site AR. I have attached a pdf of the document.

Richard Sisk Attorney U.S. EPA Region 8 ENF-L 1595 Wynkoop Denver, CO 80202-1129

Phone: 303-312-6638 Fax: 303-312-6409

E-mail: sisk.richard@epa.gov

NOTICE: The information contained in this e-mail is intended only for the use of the recipient(s) named above. This message and any attachments may contain confidential or privileged information. If the reader is not the intended recipient or an agent responsible for delivering it to the intended recipient, you have received this document in error and any review, dissemination, disclosure, distribution, use, or copying of the contents of this message is strictly prohibited. If you have received this communication in error, please notify me immediately by e-mail or telephone and destroy all copies of the original message and any attachments.

From: Way, Steven

Sent: Wednesday, September 30, 2015 3:39 PM

To: Sisk, Richard

Subject: Fwd: Water Treatment Decision - draft tech memo

Admin Record document

FYI - START memo (draft) water quality predictions for low flow and associated hazard quotients.

EPA (Way, Wall,) USGS, and Weston participated in developing this.

Steve

Sent from my iPhone

Begin forwarded message:

From: "Christner, Jan" < <u>Jan.Christner@WestonSolutions.com</u>>

To: "Way, Steven" < way.steven@epa.gov > Subject: Water Treatment Decision

See attached.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.